






Dept.	Technical reference	Created by Tom Samson 14/05/2020	Approved by		
		Document type	Document status		
		Title SUB Assembly Y-Nut Plate	DWG No.		
			Rev.	Date of issue	Sheet 1/3



S'assurer de la perpendicularité des parois pour Assemblage.
 Tolérancement faible sur l'espacement entre les rails MGN12.
 Il est nécessaire de s'assurer qu'on a bien une
 distance très précise entre les deux mobiles

Dept.	Technical reference	Created by Tom Samson 14/05/2020	Approved by		
		Document type	Document status		
		Title SUB Assembly Y-Nut Plate	DWG No.		
			Rev.	Date of issue	Sheet 2/3

Parts List				
Item	Qty	Part Number	Description	Mass
1	3	Mobile MGN12		71.678 g
3	21	Vis M3-L10 Standard		0.916 g
6	2	Side Plate Y-Z MGN nut		326.933 g
7	1	Vis M5-L10 Standard		3.127 g
8	1	Standard M5-L10 v1(Mirror)		3.127 g
9	1	Standard M5-L10 v1(Mirror) (1)		3.127 g
10	1	Standard M5-L10 v1(Mirror)(Mirror)		3.127 g
11	1	Mobile MGN12 v2(Mirror)		71.678 g
12	4	Standard M3-L10 v1(Mirror)		0.916 g
13	1	Yaxis MotorPlate		192.767 g
14	1	Nema 17		622.923 g
15	1	Engrenage 3M 24dents 9mm belt		20.482 g
16	2	Pulley W9		18.58 g
17	2	M5 x 3mm Brass Spacer		2.201 g
18	2	Vis M5-L25 Standard		4.801 g
19	1	Side Plate Y-Z MGN nut noHole		329.893 g
20	1	MGN12 Nut Y-Z connector		230.09 g

Dept.	Technical reference	Created by Tom Samson 14/05/2020		Approved by	
		Document type		Document status	
		Title SUB Assembly Y-Nut Plate		DWG No.	
		Rev.	Date of issue	Sheet 3/3	